








CDC Screening Guidelines

Age	Cervical Cancer	Chlamydia and Gonorrhea
 Under 21	<p>Women younger than 21 years should not be screened regardless of the age of sexual initiation or the presence of other behavior-related risk factors.</p>	<p>Annual screening is recommended for all sexually active women.</p> <p>Providers might consider opt-out chlamydia and gonorrhea screening for adolescent and young adult females to increase screening, be cost-saving, and identify infections among patients who do not disclose sexual behavior.</p>
 21-29		<p>Annual screening is recommended for all sexually active women younger than 25 years.</p> <p>Screening is recommended for women over age 25 at increased risk factors.</p>
 30-65	<p>Accepted:</p> 	<p>Preferred:</p> 
 Over 65	<p>No screening necessary after adequate negative prior screening results.</p>	

Reference: Workowski, et al. Sexually Transmitted Infections Treatment Guidelines 2021. MMWR Recomm Rep 2021;70.

SS-00345-001 Rev. 003 ©2021 Hologic, Inc. All rights reserved. Hologic and associated logos are trademarks and/or registered trademarks of Hologic, Inc. and/or its subsidiaries in the United States and/or other countries. This information is intended for medical professionals in the U.S. and other markets and is not intended as a product solicitation or promotion where such activities are prohibited. Because Hologic materials are distributed through websites, eBroadcasts and tradeshow, it is not always possible to control where such materials appear. For specific information on what products are available for sale in a particular country, please contact your local Hologic representative or write to diagnostic.solutions.com.